Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	24	US-5159685-\$.DID. OR US-5764955-\$.DID. OR US-5961594-\$.DID. OR US-6016306-\$.DID. OR US-6182094-\$.DID. OR US-6198479-\$.DID. OR US-6269398-\$.DID. OR US-6349306-\$.DID. OR US-6381631-\$.DID. OR US-6393425-\$.DID. OR US-6442608-\$.DID. OR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/02 16:24
S2	56	US-5475819-\$.DID. OR US-5838918-\$.DID. OR US-5920701-\$.DID. OR US-5956341-\$.DID. OR US-5968176-\$.DID. OR US-6098094-\$.DID. OR US-6202090-\$.DID. OR US-6260072-\$.DID. OR US-6356955-\$.DID. OR US-6418468-\$.DID. OR US-6418468-\$.DID. OR US-6496843-\$.DID. OR US-6539425-\$.DID. OR US-6609108-\$.DID. OR US-6609108-\$.DID. OR US-66658526-\$.DID. OR US-6643640-\$.DID. OR US-6643640-\$.DID. OR US-6678827-\$.DID. OR US-6678827-\$.DID. OR US-66775698-\$.DID. OR US-6775698-\$.DID. OR US-6775698-\$.DID. OR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/02 16:36
S3	5	(("5491820") or ("6170011") or ("6363411") or ("6370119") or ("6769116")).PN.	USPAT	OR	OFF	2005/09/02 18:22
S4	0	"20040225865" "20020198974" "20020191619" "20020174091" "20030135508" "20040078695" "20020051080" "20030048287" "20030048287" "20020038320" "20030037040" "20030033589" "20020032769"	USPAT	OR	ON	2005/09/02 18:21

S5	12	"20040225865" "20020198974" "20020191619" "20020174091" "20030135508" "20040078695" "20020051080" "20030048287" "20030048287" "20020038320" "20030037040" "20030033589" "20020032769"	US-PGPUB	OR	ON	2005/09/02 18:06
S6	2	"20040048695" "20030048287"	US-PGPUB	OR	ON	2005/09/02 18:01
S7	1	"20040078695"	US-PGPUB	OR	ON	2005/09/02 18:01
S8	5	US-5581764-\$.DID. OR US-5726883-\$.DID. OR US-6292889-\$.DID. OR US-6463583-\$.DID. OR US-6550060-\$.DID.	USPAT	OR	ON	2005/09/02 18:14
S9	2	"20020051080" "20020171762"	US-PGPUB	OR	ON	2005/09/02 18:06
S10	12	US-5159685-\$.DID. OR US-5764955-\$.DID. OR US-5961594-\$.DID. OR US-6016306-\$.DID. OR US-6182094-\$.DID. OR US-6198479-\$.DID. OR US-6269398-\$.DID. OR US-6349306-\$.DID. OR US-6381631-\$.DID. OR US-6393425-\$.DID. OR US-6442608-\$.DID. OR	USPAT	OR	ON	2005/09/02 18:25
S11	11	US-5519704-\$.DID. OR US-5796732-\$.DID. OR US-5832503-\$.DID. OR US-5842040-\$.DID. OR US-5872928-\$.DID. OR US-5889953-\$.DID. OR US-6097697-\$.DID. OR US-6098108-\$.DID. OR US-6154776-\$.DID. OR US-6243747-\$.DID.	USPAT	OR	ON	2005/09/02 18:15
S12	77	"6167 <del>44</del> 5"	USPAT	OR	ON	2005/09/02 18:22
S13	2	(("6167445") or ("6170009")).PN.	USPAT	OR	OFF	2005/09/02 18:37

S14	27	US-5109486-\$.DID. OR US-5442791-\$.DID. OR US-5557748-\$.DID. OR US-5724509-\$.DID. OR US-5784702-\$.DID. OR US-5787246-\$.DID. OR US-5819028-\$.DID. OR US-5838918-\$.DID. OR US-5884028-\$.DID. OR US-5884028-\$.DID. OR US-5944782-\$.DID. OR US-5948065-\$.DID. OR US-594236-\$.DID. OR US-5968122-\$.DID. OR US-5974236-\$.DID. OR US-6006035-\$.DID. OR US-60428846-\$.DID. OR US-6049828-\$.DID. OR US-6049828-\$.DID. OR US-6098101-\$.DID. OR US-6098101-\$.DID. OR US-6105069-\$.DID. OR US-6108699-\$.DID. OR US-6108703-\$.DID. OR	USPAT	OR	ON	2005/09/02 18:26
S15	6	(("4991089") or ("5751967") or ("6028846") or ("6041347") or ("6131118") or ("6131119")).PN.	USPAT	OR	OFF	2005/09/02 18:37
S16	7	"1090492"	DERWENT	OR	ON	2005/09/07 08:58
S17	10	"1012726"	DERWENT	OR	ON	2005/09/07 09:02
S18	1	"0993725"	DERWENT	OR	ON	2005/09/07 09:03
S19	2	"993725"	DERWENT	OR	ON	2005/09/07 09:03
S20	223	sridhar.inv.	DERWENT	OR	ON	2005/09/07 09:05
S21	4	S20 and enhanced	DERWENT	OR	ON	2005/09/07 09:05
S22	223	sridhar.in.	DERWENT	OR	ON	2005/09/07 09:05
S23	11	(cli or (command adj line adj interface)) with (xml or (extensible markup language)) same schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:46
S24	3	S23 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:40

S25	31	(cli or (command adj line adj interface)) with (xml or (extensible markup language)) same router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:49
S26	11	S25 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:50
S27	10	S26 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:47
S28	18	(cli or (command adj line adj interface) or (command adj language adj interface)) with (xml or (extensible adj markup adj language)) same router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:49
S29	3	S28 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:57
S30	5833	(709/217,220,221).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:55
S31	226	S30 and (configur\$4 with router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:21
S32	6	S31 and (extract\$4 with command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:01

S33	3	S32 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:03
S34	20	S31 and ((cli or (command adj line adj interface) or (command adj language adj interface)) with configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:52
S35	6	S34 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:53
S36	3	S31 and ((cli or (command adj line adj interface) or (command adj language adj interface)) with cisco)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:53
S37	4	S31 and ((cli or (command adj line adj interface) or (command adj language adj interface)) same cisco)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:53
S38	0	S37 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:54
S39	29	S31 and (cli or (command adj line adj interface) or (command adj language adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:53
S40	9	S39 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:22

S41	3	S40 not S35	US-PGPUB; USPAT;	OR	ON	2005/09/07 12:09
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S42	75	(extract\$4 or retriev\$3 or pull) with (command or subcommand) with router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:47
S43	2946	(extract\$4 or retriev\$3 or pull or interrogat\$4 or help or navigat\$4) with (command or subcommand or configur\$5 or bound) with (router or switch or hub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:21
S44	134	(extract\$4 or retriev\$3 or pull or interrogat\$4 or help or navigat\$4) with (command or subcommand or configur\$5 or bound) with (router or switch or hub) same (schema or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:19
S45	76	S44 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:19
S46	1341	(extract\$4 or retriev\$3 or pull or interrogat\$4 or help or navigat\$4) with (command or subcommand or bound) with (router or switch or hub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:21
S47	1297	(extract\$4 or retriev\$3 or pull or interrogat\$4 or help or navigat\$4) with (command or subcommand) with (router or switch or hub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:21
S48	45	S30 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:22

S49	28	S48 and @ad<"20010829"	US-PGPUB;	OR	ON	2005/09/07 12:22
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S50	12	S30 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:22
S51	7	S50 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:22
S52	0	("2002/0191619").URPN.	USPAT	OR	ON	2005/09/07 16:32
S53	14	(("6654793") or ("5964844") or ("6640241") or ("6671869") or ("6735630") or ("6434543") or ("5822525")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 16:33
S54	7	(("6654793") or ("5964844") or ("6640241") or ("6671869") or ("6735630") or ("6434543") or ("5822525")).PN.	USPAT	OR	OFF	2005/09/07 16:33
S55	0	("9407915").PN.	USPAT	OR	OFF	2005/09/07 19:05
S56	0	("9407915").PN.	USPAT	OR	OFF	2005/09/07 19:05
S57	3970	command near3 extract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:44
S58	58	S57 and cli	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:48
S59	6	S58 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:44

S60	3294	configurat\$4 near3 extract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:44
S61	24	S60 and cli	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:44
S62	5	S61 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:49
S63	32884	(extract\$4 or retriev\$3 or pull) near5 (command or configurat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:48
S64	2222	S63 and (cli or xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/09/08 17:49
S65	323	S63 same (cli or xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:49
S66	95	S65 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:53
S67	18	router same help same command and cisco	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:53

S68	8	S67 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 18:28
S69	53	cleans\$4 near5 command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 18:28
S70	39	S69 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 18:28
S71	5	(cleans\$4 near5 command) same (router or switch or hub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 18:29
S72	3	S71 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 18:30
S73	8	(cleansing near5 command) and (router or switch or hub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 18:29
S74	4	S73 and @ad<"20010829"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 18:30